

Taray Advantage & Bosch Heavy Duty Extruders

Specially designed to fill tire cracks and repairs in the retreading process. Extruders save working time and ensures complete removal of air bubbles which allows the repair to adhere perfectly.

Bosch Mini Extruder Model 12078

Rubber production:	39.7 lbs/h
Rating:	550 Watt
Heater:	350 W 220V/110V
Air Demand:	26.5 CFM
Weight:	9 lbs
Temp:	32-248°F

Advantage Mini Extruder Model 12080


Rubber production:	33 lbs/h
Rating:	400 W
Heater:	350 W 220V/110V
Air Demand:	19 CFM
Weight:	6.5 lbs
Temp:	32-248°F

Bosch Giant Extruder Model 12077

Rubber production:	61.7 lbs/h
Rating:	750 Watt
Heater:	800 W 220V/110V
Air Demand:	28.6 CFM
Weight:	10 lbs
Temp:	32-248°F



12078



12080



12077

Catalog #	Description	Voltage
12078	Bosch Heavy Duty Mini Extruder	110V
12078-220	Bosch Heavy Duty Mini Extruder	220V
12080	Taray / Advantage Mini Extruder	110V
12080-220	Taray / Advantage Mini Extruder	220V
12077	Bosch Giant Extruder	110V
12077-220	Bosch Giant Extruder	220V
15850	Advantage Extruder Gun Clean Out Rope	

Nail Hole Extruder Guns

Taray nail hole extruders are manufactured using the highest quality materials and processes to provide many years of service.

Taray also carries all replacement parts for extruders and provides in-house repair services including loaner tool programs.


Nail Hole Extruder Model 12081

Rubber production:	-
Rating:	400 W
Heater:	350 W 220V/110V
Air Demand:	19 CFM
Weight:	4.5 lbs
Temp:	32-248°F

Catalog #	Description	Voltage
12082	Economy PL Nail Hole Extruder	110V
12082-220	Economy PL Nail Hole Extruder	220V
12081	Advantage HD Nail Hole Extruder	110V
12081-220	Advantage HD Nail Hole Extruder	220V



12082




15850

In-House Extruder Repair & Loaner Program

Taray International maintains in-house factory trained extruder repair technicians to provide quick estimates, repairs and turnaround times for all our extruder services. Our service center is fully stocked with parts and accessories for all our extruders.

Specializing in:

**MINI EXTRUDERS
GIANT EXTRUDERS
NAIL HOLE EXTRUDERS**



BOSCH

FACTORY TRAINED EXTRUDER REPAIR FACILITY

Item	Mini #	Giant #	Description
1	68501	68701	Shaped Nozzle
2	68502	68702	Nozzle Adapter
3	68503	68503	Screw For Head Cap
4	68504	68704	Head
5	68505	68705	Cooling Sleeve
6	68506	68506	Handle
7	68507	68707	Central Body
8	68508	68508	Clamp With Screw
9	68509	68709	Extruder Screw
10	68510	68510	Square Joint
11	68511	68511	Tang
12	68512	68512	Bosch Drill

Item	Mini #	Giant #	Description
13	68513	68713	Heat Element - 220V
14	68514	68714	Heat Element - 110V
15	68515	68515	Thermostat
16	68516	68516	Control Box
17	68517	68517	Screw For Control Box
18	68518	68518	Screw For Thermostat
19	68519	68519	Knob
20	68520	68520	Pilot Light
22	68521	68521	Muffler
23	68522	68522	Air Filter / Regulator / Lubricator (opt.)
24	68524	68524	Retractable Reel

NDT Micro-Plus Tire Tester

The NDT digital Micro-Plus helps prevent separations by finding the penetrations that cause them.



The proven NDT-II and NDT-2000 are the retreaders answer for detecting flaws before they cause problems! Now the digital Micro-Plus is available...A manual version of it's big brothers, the NDT-II and NDT-2000.

Portability that works with your existing spreader.

New patent pending detector circuit tracks both positive and negative polarity

No electronic magnetic Interference. New digital tire flaw detector. Find 87% more flaws than any other NDT on the market. Reduce inspection time by 43%.

Catalog #	Description
14007	Hawkinson NDT Micro-Plus digital tire detector

NDT-III Tire Tester

The NDT-III tire tester will find 87% more flaws than any other NDT on the market today, reduce inspection time by 43%, inspect from bead to bead to reduce adjustment rate, and increase efficiency with it's new industrial spreader design.



Catalog #	Description
NDT-III-FS	Hawkinson NDT-III fabric & steel version
NDT-III-S	Hawkinson NDT-III steel only version

Taray Advantage Nail hole Detector Model D-250

The Advantage Detector model D-250 has been engineered to detect nail holes, broken steel belts and zippers in steel belted radial passenger, light truck and truck tires.




Catalog #	Description
13993	Taray/Advantage D-250 detector - 110v
13994	Taray/Advantage D-250 step-down transformer - 220v
H40-0034	D-285 replacement resonator coil

FEATURES:

- New patent pending detector circuit.
- New patent pending high voltage circuit.
- Fewer parts to replace than the NDT-II.
- New probe design.
- Foot pedal controls for tire rotation and mounting.
- Smaller footprint than the NDT-II.
- Adjustable table to inspect tires at any height.
- Redesigned spread arms.
- No electronic magnetic interference.
- Swing arm pivots completely out of inspectors view.
- Spread arm lamps.

BENEFITS:


- Find more flaws than the standard NDT-II with cutting edge technology.
- Repeatable test results that are more reliable and consistent than with the standard NDT-II.
- Less down time and expense for maintenance.
- Scans more of the tire than the NDT-II.
- Keeps hands free to manipulate tires.
- Uses less space in customer facilities.
- Ergonomically designed for the operator's comfort and performance.
- Operator can see more of the tire as it's inspected.




National Brand Rim



Replacement Belts



CRS Brand Rim



Expandable Rim Rebuild Kits

Catalog #	Description
10050	HD Stem Set - 8 Plain, 4 Lock, 1 HD Garter
10047	Plain Stem - 8 Required - Sold Each
10048	Locking Stem - 4 Required - Sold Each
10049	HD Garter Spring - Sold Each
TP-OSB76215	Teflon Dry Lube Aerosol
15983	Expandable hub seal repair kit
R701053	National Brass Bushing For Piston (Front)
10046	Brass stems - all locking - set of 12

Complete Expandable Rim Refurbishing Facility

Rims are refurbished to new rim specs.

All segments are welded & re-machined as necessary.

All worn fittings are replaced as needed.

All belts are replaced.

Rims are tested for medial & lateral run-out.

Quick turnaround time : Rims can usually be refurbished within 1 week.

All domestic freight costs for refurbishing are prepaid.

OFFERING QUICK TURNAROUND TIMES



Expandable Rim
Refurbishing & Trade Program

Taray Advantage Blades

Taray International's buffing blades have been out-performing the competition for nearly 20 years.

Features:

- An exclusive heat treatment process on Advantage blades providing a longer life.
- Lower cost per buffed tire.
- Cooler running.
- Size stamped.
- Rasp Blades designed to fit all buffing machines.

Catalog #	Description	Reference	Sets / Box
AD-I	AD-I Buffing Blade	R-115-25	50
AD-II	AD-II Buffing Blade	R-4-20	50
AD-III	AD-III Buffing Blade	S-115-20	50
AD-IV	AD-IV Buffing Blade	R-4-25	50
AD-V	AD-V Buffing Blade	R-4-16	50
AD-VI	AD-VI Buffing Blade	R-115-20	50



AD-I AD-II AD-III AD-IV AD-V



Limited Availability
Q4 - 2014
full release Q1 - 2015

**From revolution
to evolution!**



ROCKET
EVO-BLADES
Longer life. Better performance. More value.

ROCKET
EVO-BLADES

With a completely new manufacturing process B&J has managed to optimize the properties of its buffing blades:

- Each tooth cuts faster and more aggressively
- The teeth stay evenly sharp much longer
- The temperature caused by friction during the buffing process is decreased
- The smoke development is reduced substantially

All these are important arguments regarding the quality of the blade and a longer service life.

The various test runs with users around the world confirm the result of these extensive efforts: The new refinement of the ROCKET EVO-BLADES not only generates better performance characteristics, but also results in a more economical, longer service life. ROCKET EVO-BLADES are the true evolution of the buffing blade. The new generation of buffing blades from B&J.



NEW PACKAGING

The new packaging with 30 sets each is approx. 22 lbs. lighter and therefore a lot easier to handle.

**Ask about our full line
of B&J products!**



Hand Tools

Taray International Corporation is proud to offer a full line of industrial hand tools including **rubber working knives**, **electric knife heaters**, **industrial shears**, **ball bearing stitchers & rollers**, **tire groovers & trim knives**.

Please contact your sales representative for a full listing of our complete hand tool product line.



Industrial Staplers



Duo-Fast CS-5000



Duo-Fast CS-5000



Duo-Fast SureShot 5020



M45902 Black Magic Stapler



M45830



M45699



16801

Catalog #	Description	Per Box
14053	Duo-Fast SureShot 5020 Stapler (with safety)	
14057	Duo-Fast SureShot 5020 Stapler (no safety)	
14058	Duo-Fast CS-5000 Manual Stapler	
10585	Bostitch 21684B pneumatic stapler - 80-125psi	
M45902	Black Magic Pneumatic Stapler	
M45900	Black Magic 3/8" composite polymer staples	5112
14054	5/16" Staples For SureShot Stapler	5000
14056	3/8" Staples For SureShot Stapler	5000
14059	9/16" Staples For SureShot Stapler	5000
10582	Bostitch 5/16" staples	10,000

Elrick Tire Branders

Catalog #	Description	Voltage
M45699	#32A Single Slot Brander - 1"	110V
M45741	#32A Single Slot Brander - 1"	240V
M45830	#16D Single Slot Brander - 1/2" & 1/4"	110V
M45831	#16D Single Slot Brander - 1/2" & 1/4"	240V

Catalog #	Description	Size
M45737	A - Z Letter Set For Single Slot Branders	1/4"
M45735	A - Z Letter Set For Single Slot Branders	1/2"
M45733	A - Z Letter Set For Single Slot Branders	1"
M45731	0 - 9 Number Set For Single Slot Branders	1/4"
M45729	0 - 9 Number Set For Single Slot Branders	1/2"
M45727	0 - 9 Number Set For Single Slot Branders	1"




10319



10001



13575



13568



13572



12535



14813



14814

Stretch Wicking Pad (with tabs)

Catalog #	Description	Pad Size	Tab Size	Per Box
13575	Stretch Wicking Pads	8" x 10"	18"	24
13720	Stretch Wicking Pads	8" x 12"	16 1/2" x 1 1/2"	24

Stretch Wicking Pads & Cord

Catalog #	Description	Pad Size	Quantity
13572	Green Wicking	1"	180' / Roll
13573	Green Wicking	1 1/2"	180' / Roll
13568	Stretch Pads	8" x 12"	24/Box
13569	Stretch Pads	8" x 15"	24/Box
13570	Stretch Pads	8" x 20"	24/Box

High Temperature Poly Film

Catalog #	Description	Max Temp	Rolls/Box	Feet/Box
10000	HD Perf - 12"	280°	2	5,400
10001	HD Perf - 14"	280°	2	5,400
10002	HD Perf - 15"	280°	2	5,400
10003	HD Perf - 18"	280°	1	2,700

Acid-Proof Gloves

Catalog #	Description
14813	PVC Coated Acid-Proof Gloves

Tire Painting Mitt

Catalog #	Description
14814	Soft Cloth Tire Painting Mitt

B&J Envelope Tester

Catalog #	Description
833400	Envelope vacuum tester
833449	Vacuum pump for envelope tester

Rubber Wicking Pad

Catalog #	Description	Box Quantity
12535	Robbins rubber wick pad #2025	15



Covers dirt, crayon and chalk marks.



Quickly and easily apply BTP to...



satisfy customers and increase profits.



Black Tire Paint

Catalog #	Description	Size
14555	Black Tire Paint - Pro (water based pre-mix)	5 Gal.
14556	Black Tire Paint - Pro (water based pre-mix)	55 Gal.
14557	Black Tire Paint - Concentrate (water based)	5 Gal.
14558	Black Tire Paint - Concentrate (water based)	55 Gal.
14561	Black Tire Paint - Universal (water based pre-mix)	5 Gal.
14552	Black Tire Paint - Universal (water based pre-mix)	55 Gal.

Wyco Flexible Shaft Buffer

Available with 1,725 or 3,450 RPM speeds in 1/3, 1/2, 3/4 and 1 HP models. Use grinding wheels, wire brushes, tire rasps, etc. for various grinding and buffing operations. Quick-change hand pieces snap on and off quickly and easily. All welded steel. Motors are capacitor type, constant speed, 115/230 V, single phase, 60 cycle AC with toggle switch and 7 ft. 3-wire cord & safety plug. Shipped knocked down in a carton


Includes:

(1) hand piece, (1) set of wheel arbors, (1) set of wrenches

Catalog #	Description	HP	RPM
13073	Wyco Flexible Shaft Buffer #49-2	1/3	1,800
13069	Wyco Flexible Shaft Buffer #49-4	1/2	1,725
13064	Wyco Flexible Shaft Buffer #49-3	1/2	3,450
13070	Wyco Flexible Shaft Buffer #49-6	3/4	1,725
13061	Wyco Flexible Shaft Buffer #49-5	3/4	3,450
13071	Wyco Flexible Shaft Buffer #49-14	1	3,450



Taray International also carries a full line of Wyco replacement parts. Call for details



Wire Cutting Solid Carbide Tools

Catalog #	Description	Size	Shank	Length	Adapter
80000	Pencil Point	1/8"	1/8"	1 1/2"	SLP-9213
M42393	Long Pencil Point	1/8"	1/8"	2 1/2"	SLP-9213
80001	Pencil Point	1/4"	1/4"	2"	SLP-9215
80002	Extended Point	3/16"	3/16" 3 tang	3"	M42375
M42372	Extended Point	6mm	3/16" 3 tang	76mm	M42375
80003	Extended Point	5/16"	5/16" 3 tang	4"	M42376
80004	Extended Point	7/16"	7/16" 3 tang	4"	M42370
M42369	Extended Point	9mm	5/16" 3 tang	100mm	M42376
80005	Extended Point	1/2"	3/8"	5"	M42370
80006	Short Point	3/8"	1/4"	2 3/4"	M42495
80007	Flat Head Router	1/8"	1/8"	1 1/2"	SLP-9213
80008	Flat Router Fine	1/4"	1/4"	2 1/2"	SLP-9215
80009	Flat Router Coarse	1/4"	1/4"	2 1/2"	SLP-9215
80010	Round Ball	1/2"	1/4"	2 1/2"	SLP-9215
80011	Round Ball	3/4"	1/4"	2 3/4"	SLP-9215



High Speed Grinding Stones

Catalog #	Mfg #	Color	Shaft Size	Stone Diameter
80016	A-12W	White	1/4"	11/16"
80017	A-15B	Brown	1/4"	1/4"
80018	A-15W	White	1/4"	1/4"
80019	A-15CW	White	1/4"	1/4"
M42140	A-15CB	Brown	1/4"	1/4"
M42153	A-36WL60	White	1/4"	1 3/4"
M42154	A-36BL60	Brown	1/4"	1 3/4"
M42170	A-36W60	White	1/4"	1 5/8"
M42155	A-36B60	Brown	1/4"	1 5/8"
80021	A-37W	White	1/4"	1 1/4"
80022	A-37B	Brown	1/4"	1 1/4"
80027	A-72W	White	1/8"	1/2"



Radiused Cup Rasps



80037-36



80038-16



80036-46


Catalog #	Diameter		Width		Arbor Hole	Grit
	in.	mm	in.	mm		
80036-46	3	76	1	25	3/8" x 24	46
80037-36	3	76	1	25	3/8"	36
80038-16	4	102	1 1/2	38	3/8" or 1/2"	16
80038-46	4	102	1 1/2	38	3/8" or 1/2"	46

Vented Radiused Cup Rasps

80121-16



80048-16



80022-16



80021-16



3/8" Arbor Holes

Catalog #	Mfg #	Diameter		Width		Grit
		in.	mm	in.	mm	
80121-16	TCW-234	3	76	3/4	19	16
80121-36	TCW-234	3	76	3/4	19	36
80122-16	TCW-234N	3	76	3/4	19	16
80122-36	TCW-234N	3	76	3/4	19	36
80046-16	TCW-310	3	76	1	25	16
80047-16	TCW-3114	3	76	1 1/4	32	16
80047-36	TCW-3114	3	76	1 1/4	32	36
80048-16	TCW-315	3	76	1 1/2	38	16
80048-36	TCW-315	3	76	1 1/2	38	36
80049-16	TCW-415	4	102	1 1/2	38	16
80049-36	TCW-415	4	102	1 1/2	38	36

Donut Curved Rasps



80051-36

3/8" Arbor Holes

Catalog #	Mfg #	Diameter		Width		Grit
		in.	mm	in.	mm	
80050-16	TDW-310	3	76	1	25	16
80050-36	TDW-310	3	76	1	25	36
80051-16	TDW-315	3	76	1 1/2	38	16
80051-36	TDW-315	3	76	1 1/2	38	36
80052-16	TDW-415	4	102	1	25	16
80052-36	TDW-415	4	102	1	25	36

Contour Cup Rasps



80039-36



80040-36

Catalog #	Diameter		Width		Type	Grit
	in.	mm	in.	mm		
80039-16	2	51	1	25	Ventilated	16
80039-36	2	51	1	25	Ventilated	36
80039-60	2	51	1	25	Ventilated	60
80040-16	2	51	1	25	Solid	16
80040-36	2	51	1	25	Solid	36
80040-60	2	51	1 1	25	Solid	60

7" Flat Ventilated Disc Rasps



80043-46

Catalog #	Diameter		Arbor Hole	Type	Grit
	in.	mm			
80043-46	7	178	7/8"	Ventilated	46
M42249	7	178	7/8"	Ventilated	16

Ball Rasps



80092-16

Catalog #	Shaft Length		Shaft Dia.		Ball Dia.		Grit
	in.	mm	in.	mm	in.	mm	
80092-16	2	51	1/4	6	3/4	19	16
80092-36	2	51	1/4	6	3/4	19	36

DUALIFE
Silver Tungsten
Carbide Rasps

available
upon request




Carbide Rods




Catalog #	Diameter		Length		Type	Grit
	in.	mm	in.	mm		
80087-16	1/4	6	2 1/2	64	1/4" undercut	16
80087-36	1/4	6	2 1/2	64	1/4" undercut	36
80088-16	1/4	6	4	102	1/4" undercut	16
80088-36	1/4	6	4	102	1/4" undercut	36
80089-16	1/4	6	4	102	standard cut	16
80089-36	1/4	6	4	102	standard cut	36

Carbide Cones



Catalog #	Diameter		Length		Grit
	in.	mm	in.	mm	
80077-36	3/4	19	2	51	36
80077-16	3/4	19	2	51	16
80078-36	3/4	19	1 1/2	38	36
80078-16	3/4	19	1 1/2	38	16
80079-36	3/4	19	1 1/2	38	36
80079-16	3/4	19	1 1/2	38	16


Tack Rasps & Hub Units



Catalog #	Description	Diameter	Width	For Hub
11958	Tack Rasp #6	2 1/2"	1"	B-6
11959	Tack Rasp #8	1 1/2"	5/8"	B-8

Catalog #	Description	Diameter	Width	Arbor
14247A	Tack Rasp Hub B-6	2 1/2"	1"	3/8"
14247B	Tack Rasp Hub B-6	2 1/2"	1"	1/2"
11957	Tack Rasp Hub B-8	1 1/2"	5/8"	3/8"

2" Carbide Tools



Catalog #	Mfg #	Diameter		Width		Grit
		in.	mm	in.	mm	
<i>Flat Faced</i>						
80073-36	22-03	2	51	3/16	5	36
80073-16	22-04	2	51	3/16	5	16
80074-36	22-05	2	51	3/8	10	36
80074-16	22-06	2	51	3/8	10	16
<i>Radiused</i>						
80076-36	22-07	2	51	1/2	13	36
80075-16	22-08	2	51	1/2	13	16
80076-36	22-09	2	51	3/4	19	36
80076-16	22-10	2	51	3/4	19	16

Piranha Carbide Rasp



208-16


Catalog #	Description	Diameter	Width	Grit
208-16	B&J Piranha Rasp	2"	1/2"	16
208-36	B&J Piranha Rasp	2"	1/2"	36

Squiggly Rasp



16991

Catalog #	Description
20-103	B&J Squiggly Rasp - 10 Pack With (2) Plates
16881	B&J Squiggly Rasp - 24 Pack With (2) Plates

**B&J Rotary Gouges**

Catalog #	Description	Diameter	Arbor	Box Qty
Solid Type				
810607	Rotary Gouge	3/4"	3/8"-24 Threaded	4
810604	Rotary Gouge	1 1/4"	3/8"-24	3
810610	Rotary Gouge	2"	3/8"-24	2
810610-2	Rotary Gouge	2"	3/8"-24 Threaded	2
810626	Rotary Gouge Sharpener - 1 1/4" & 3/4"			

Wire Wheel Brushes

Catalog #	Description	Size	Arbor	Wire
14584	Wire Wheel Brush	4" x 7/8"	1 1/8"	.0104
14585	Wire Wheel Brush	6" x 1"	2"	.014
14586	Wire Wheel Brush	8" x 1 3/8"	2"	.0104
14587	Wire Wheel Brush	10" x 1 3/8"	2"	.0104
14588	Wire Wheel Brush	4 1/4" x 1 1/8"	1/8"	.0104
14589	Wire Wheel Brush	8" x 1 1/4"	2"	.0104
14590	Wire Wheel Brush	4" x 5/8"	5/8"	.0104

Bull's Eye Wire Brushes

Catalog #	Description	Size	Arbor	Wire
14602	Bull's Eye Wire Brush	1 1/2"	3/8"	.014
14603	Bull's Eye Wire Brush	2"	1/2" - 3/8"	.005
14604	Bull's Eye Wire Brush	2"	1/2" - 3/8"	.0118
14605	Bull's Eye Wire Brush	2"	1/2" - 3/8"	.014
14606	Bull's Eye Wire Brush	3"	1/2" - 3/8"	.005
14607	Bull's Eye Wire Brush	3"	1/2" - 3/8"	.008
14608	Bull's Eye Wire Brush	3"	1/2" - 3/8"	.014
14609	Bull's Eye Wire Brush	3"	1/2"	.018
14610	Bull's Eye Wire Brush	4"	1/2" - 3/8"	.014



Wire Wheel Brush




Encap. Wheel Brush



Knot Wheel Brush



Bull's Eye Wire Brush



16659

42119

**Additional Valves & Couplers Available**

ask your Taray salesperson for details.

Couplers, Adapters & Valves

Catalog #	Description
12512	Standard Envelope Valve
12532	Standard Envelope Valve - Wide Base
12521	Sure Seal Envelope Valve
12519	Sure Seal Envelope Valve - Wide Base
16294	Sure Seal .482 Adapter
16293	Sure Seal Coupler
16915	Bandag Style Exhaust Flow-Thru Coupler
M54510	Bandag Style Envelope Adapter

Knot Wheel Brushes

Catalog #	Description	Size	Arbor	Wire
14594	Knot Wheel Brush	3" x 3/8"	1/2" - 3/8"	.02
M42028	Knot Wheel Brush	3"	1/2" - 3/8"	

Encapsulated Wire Brushes

Catalog #	Description	Size	Arbor	Wire
14596	Encap. Wire Brush	2"	1/2"	.0118
14597	Encap. Wire Brush	3"	1/2"	.008
14611	Encap. Wire Brush	2"	1/2" - 3/8"	

Stem Brushes

Catalog #	Description	Wire
16659	Stem Brush	3/8"
16660	Stem Brush	1/2"
42119	Stem Brush	3/4"

Markal 'B' Paintstiks



Catalog #	Mfg #	Description	Color
14619	TD-60	Markal 'B' Paintstik	White
14620	TD-60A	Markal 'B' Paintstik	Black
14622	TD-60B	Markal 'B' Paintstik	Red
14624	TD-60C	Markal 'B' Paintstik	Blue
14625	TD-60D	Markal 'B' Paintstik	Green
14623	TD-60E	Markal 'B' Paintstik	Orange
14627	TD-60F	Markal 'B' Paintstik	Purple
14626	TD-60G	Markal 'B' Paintstik	Pink
14628	TD-60H	Markal 'B' Paintstik	Brown
14629	TD-60I	Markal 'B' Paintstik	Grey
14621	TD-60Y	Markal 'B' Paintstik	Yellow
16249	TD-60J	Markal 'B' Paintstik	Gold
14630	TD-60K	Markal 'B' Paintstik	Silver



Catalog #	Mfg #	Description	I.D.
M45134	101	5" Aluminum Paintstik Holder	3/4"
14631	102	6" Aluminum Paintstik Holder	3/4"

Catalog #	Mfg #	Description	I.D.
14633	TD-1Y	Yellow Markal Tyre Marque Crayon	
14632	TD-1Y	White Markal Tyre Marque Crayon	
M45136	108	5" Aluminum Crayon Holder	1/2" hex

Catalog #	Mfg #	Description	Color
16137		Tire Marking Pen	Silver
14635		China Marker - Innerliner	White

Lincoln Spotters & Vulcanizers

Catalog #	Description	Curing Head	Voltage
11976	Model 2000TS Truck Tire Vulcanizer	6"	110v
11971	Model LT Light Truck Tire Vulcanizer	4"	110v
11973	Model MT Medium Truck Tire Vulcanizer	6"	110v
12051	Model ERV Envelope Repair Vulcanizer	6"	110v
11961	Model 150 Tube Plate Vulcanizer	4" x 12"	110v
11962	Model 150 Tube Plate Vulcanizer	4" x 12"	240v
11963	Model 200 Tube Plate Vulcanizer	4" x 6"	120v
11963-240	Model 200 Tube Plate Vulcanizer	4" x 6"	240v
11965	Model 300 Tube Plate Vulcanizer	3 5/16"	110v
11965-240	Model 300 Tube Plate Vulcanizer	3 5/16"	240v




Lincoln 2000TS



Lincoln LT



Lincoln ERV



Lincoln 150



Lincoln 200



Lincoln 300



Lincoln 400B



Lincoln MT


Chamber Parts & Accessories

Taray International carries most products & repair parts for chambers. Please contact your sales representative for full information.



- Chamber Door Gaskets
- Chamber Hoses
- Couplers & Adapters
- ASME Safety Valves
- Monorail Parts
(RW Track, Switches, Hardened Curves)
- Hooks • Cables
- Trolleys • Lifts

Data Recorders / Charts / Pens



Contact our offices
for a full list of
available chamber parts.

Taray Tire Buffers

Taray carries the industry standard high & low speed grinders (buffers) for use in tire retreading.

CP-873 Low Speed Tire Buffer

- Quick change slip chuck for fast and easy change of buffing wheel
- Built-in regulator
- Lock off throttle to prevent accidental start ups
- Rear exhaust directs air away from the work area
- Ideal for patchwork, roughing areas for recapping and cleaning tire moldings

CP-871 High Speed Tire Buffer

- Built-in regulator
- Jacob's chuck for holding buffing accessories
- Lock off throttle to prevent accidental start ups
- Rear exhaust directs air away from the work area
- Ideal for patchwork, roughing areas for recapping and cleaning tire moldings



Taray Pneumatic Tools

Taray carries a full line of air tools for use in the tire retreading industry. Contact our sales team to enquire about all pneumatic tools.

- Impact Wrenches
- Drills
- Die Grinders
- And More....

